

4
88

M

Soulsby no 1224a
284013

MILLER (John Frederick; draughtsman to Sir Joseph Banks) [ICONES ANIMALIUM et PLANTARUM, painted, engraved, and published by the Author] (6233), containing 9 pp. of text and 54 la gr and FINELY COLOURED PLATES of plants, birds, quadrupeds, etc., roy. folio, Russia, £3. 3s 1776-82

An incomplete copy, lacking the title-page, last page of text, and the last six plates.

original subscriber's copy of the parts 1-9 (out of 10), from the Wilfred Lawson Library.

8 Jan. 1921


C. Davies Sherborn

The only other copy known to me is in the Banksian (B. M. 460.9-13). It consists of 6 pts (6 leaves text + 36 pls), the 2 pls. text + 7 pls. of botany bound up with it do not belong to the "Icones" proper. C.D.S.
11.1.21



Miller

K



T A B U L A I.

A. LOXIA-orix.	Lin. Sys. Nat. Classis VI.	Genus CIX.	Mantissa 527.
Fig. 1. ANTHOLYZA, Cunonia.	Lin. Spe. Plan. Classis III.	Ordo I.	Spec. 2. Mantissa 320.

T A B U L A II.

A. LOXIA-coronata	Lin. Sys. Nat. Classis VI.	Genus CIX.	Spec.
Fig. 1. ALSTROMERIA-ligta,	Lin. Spe. Plan. Classis VI.	Ordo. I.	Spec. 2.
2 Flos (3 Stamina. 4 Stamen. Lente Auclum) 5 Stigma,			

T A B U L A III.

A. LOXIA-longicauda.	Lin. Sys. Nat. Classis VI.	Genus CIX.	Spec.
Fig. 1. GNAPHALIUM. eximium.	Lin. Spe. Plan. Classis XIX.	Ordo II.	Mantissa 573.

T A B U L A IV.

A. PSITTACUS-atricapillus.	Lin. Sys. Nat. Classis II.	Genus XIV.	Spec.
Fig. 1. CHELONE-penstemon.	Lin. Spe. Plan. Classis XIV.	Ordo I.	Spec. 3.
2 Calyx. 3 Corolla. 4 Corolla fecta. 5 Stamina. 6 Germen.			

T A B U L A V.

A. PSITTACUS-aurantius.	Lin. Sys. Nat. Classis II.	Genus XLV.	Spec.
Fig. 2. ILLICIUM-floridanum.	Lin. Spe. Plan. Classis XIII.	Ordo VII.	Mantissa 167.
2 Calyx. (3 Stamina. 4 Stamen Lente Auclum.) 5 Germen. 6 Petala. 7 Pericarpium. 8 Semen.			

T A B U L A VI.

A. UPUPA-promerops?	Lin. Sys. Nat. Classis II.	Genus LXIV.	Spec.
Fig. 1. ERYNGIUM-alpinum.	Lin. Spe. Plan. Classis V.	Ordo I.	Spec. 6.
2 Flos. 3 Lente Auclum. (4 Germen. 5 Petala.) 6 Stamen. 7 Lente Auclum.			





Antholyza curvica

Painted & engraved from a drawing by J. A. Smith





Printed & engraved by J. P. Kneass, at the Office of the American Museum of Natural History, No. 210, Broadway, New York.

Cardinalis coronata,
Asplenium platyneuron.





Fig. 1.

Loxia longicauda
Gnaphalium crumum.





Painted, Engraved and Published by J. L. B. Leake, according to the directions of the Author.

Callinectes atricapillus
Chelone pensilvanica.





Painted, Engraved and Published by J. G. Miller, in the year 1818. *Myiophobus curvirostris*
Phenac. flor. darwin.





Arundinaria, sp. n. sp.
Arundinaria, sp. n. sp.



T A B U L A VII.

Fig. 1. BARRINGTONIA speciosa. Classis XIII. Ordo I. Forsteri nova genera, P. 75. Habitat in India
[orientali, & Infulis Maris Pacifici.

2 Calyx. 3 Pistillum et nectarium. 4 Eadem dissecta. 5 Stamen. 6 Idem auctum. 7 Pistillum.

T A B U L A VIII.

Fig. A. AMPELIS carolinensis. Lin. Syft. Nat. Classis VI. Genus CVIII. Habitat in America septentrionali.

Fig. 1. AMARYLLIS crispa. Lin. Spec. Plan. Classis VI. Ordo I.

2 Stamina. 3 Stamen idem auctum. 4 Pistillum.

T A B U L A IX.

Fig. 1. ANTHOLYZA æthiopica. Lin. Spec. Plan. Classis III. Ordo I. Habitat in Æthiopia.

2 Floris inferior facies. 3 Floris superior facies. 4 Idem dissectus. 5 Stamina. 6 Stamen auctum. 7 Pistillum.

T A B U L A X.

Fig. A. CERVUS Alces. Lin. Syft. Nat. Classis V. Genus XXIX. Habitat in Canada.

T A B U L A XI.


Fig. A. B. LACERTA Chamælion. Lin. Syft. Nat. Classis I. Genus CXXII. Habitat in Africa, Asia.

C. Linguae extensio adcaptandam prædam.

T A B U L A XII.

Fig. A. LARUS albus. Lin. Syft. Nat. Classis III. Genus LXXVI. Habitat in Regionibus septentrionalibus.





Viro. Honorabile et. Nobilissime
Judicibus Regis Principibus
BARRINGTONIA



(DAVIDS BARRINGTON, A.)
Waltham, Mass.
SPRING 1800















Painted by J. G. Cooper, and Published according to the Act No. 11, 1802.





Saccota Chamaeleon.





Fouquet, Engstrand, and Puchner, according to the Art by J. A. Miller 1776



T A B U L A XIII.

A. LEMUR murinus.	LIN. Sys. Nat.	Classis I.	Genus III.	Habitat in Madagascar.
B. Idem Animal dormiens.				

T A B U L A XIV.

A. STRUTHIO Casuarius.	LIN. Sys. Nat. 265	Classis IV.	Genus XCVI.	Habitat in Asia, Sumatra, Molucca, Banda.
------------------------	--------------------	-------------	-------------	--

T A B U L A XV.

A. B. MUSCICAPA striata, Mas. & Femina.	LIN. Sys. Nat.	Classis VI.	Genus CXIII.	Habitat ad fretum Hudsonis.
C. AMPELIS cristata.	LIN. Sys. Nat.	Classis VI.	Genus CVIII.	Habitat in America.

T A B U L A XVI.

A. COLUMBA coronata.	LIN. Sys. Nat.	Classis VI.	Genus CIV.	Habitat in Capite bonæ spei.
----------------------	----------------	-------------	------------	------------------------------

T A B U L A XVII.

A. FALCO Plancus.	LIN. Sys. Nat.	Classis I.	Genus XLII.	Habitat in Tierra del Fuego.
-------------------	----------------	------------	-------------	------------------------------

T A B U L A XVIII.


A. FALCO fuscus.	LIN. Sys. Nat.	Classis I.	Genus XLII.	Habitat in Greenlandia.
------------------	----------------	------------	-------------	-------------------------



B




A

















Painted Frigatebird and Puffin, by J. A. Miller according to Dr. J. A. 1777











T A B U L A XIX.

Fig. A.	CANIS Hyæna.	LIN. Syft. Nat. 58.	Classis III.	Genus XII.	Spec. 3.	Habitat in Asia.
	B. CANIS Lupus niger.	LIN. Syft. Nat. 58.	Classis III.	Genus XII.	Spec. 2.	Habitat ad fretum Hudfonis.

T A B U L A XX.

Fig. A.	VIVERRA tetradactyla.	LIN. Syft. Nat. 63.	Classis III.	Genus XIV.	Spec.	Habitat ad C. B. Spei.
---------	-----------------------	---------------------	--------------	------------	-------	------------------------

T A B U L A XXI.

Fig. A.	PARUS hudfonicus.	LIN. Syft. Nat.	Classis VI.	Genus CXVI.	Spec.	Habitat in America Sept.
	B. FRINGILLA hudfonica.	LIN. Syft. Nat.	Classis VI.	Genus CXII.	Spec.	Ibid.
	C. EMBERIZA leucophrys.	LIN. Syft. Nat.	Classis VI.	Genus CX.	Spec.	Ibid.

T A B U L A XXII.

Fig. A.	PLATALEA Leucorodia.	LIN. Syft. Nat. 231.	Classis VI.	Genus LXXX.	Spec. 1.	Habitat in Europa, nidificat in arboribus.
---------	----------------------	----------------------	-------------	-------------	----------	--



T A B U L A XXIII.

Fig. A.	APTENODYTES patagonica.	LIN. Syft. Nat.	Classis I.	Genus !.	Spec.	Habitat in Mari antarctico.
---------	-------------------------	-----------------	------------	----------	-------	-----------------------------


T A B U L A XXIV.

Fig. A.	CUCULUS indicator.	LIN. Syft. Nat. 168.	Classis II.	Genus LVII.	Spec.	Habitat ad C. B. Spei.
	B. FRINGILLA cyanocapilla.	LIN. Syft. Nat. 317.	Classis VI.	Genus CXII.	Spec.	Habitat in Senegal.










Thylacynus










Painted by Cupressi and Collobil, by J. T. Walter, according to the Act, 1777.





Uptenodytes patagonica.





Cuculus indicatus
Fringilla cyaneocapilla



T A B U L A XXV.

- Fig. 1. BRUCEA antidysenterica. LIN. Spec. Plan. Classis XXII. Ordo IV. Spec. Habitat in Africa.
 2. Flos masculus. 3. Idem auctus. 4. Calyx. 5. Idem auctus. 6. Stamina magnitudine aucta. 7. Stamen singulum auctum.
 8. Nectarium magnitudine auctum. 9. Flos femineus. 10. Idem auctus. 11. Calyx. 12. Idem auctus. 13. Germen cum
 stylis magnitudine auctum. 14. Nectarium magnitudine auctum.

T A B U L A XXVI.

- Fig. A. TESTUDO fulcata. LIN. Syft. Nat. Classis III. Ordo I. Genus CXIX. Spec. Habitat in India occidentali.
 B. Pars inferior. C. Caput magnitudine naturali.

T A B U L A XXVII.

- Fig. A. HOMO Lar. LIN. Syft. Nat. Classis I. Genus I. Spec. Habitat in China.
 B. Caput magnitudine naturali.

T A B U L A XXVIII.

- Fig. A. FALCO serpentarius. LIN. Syft. Nat. Classis II. Ordo I. Genus XLIV. Spec. 1. Habitat Cap. B. Spec.
 B. Caput magnitudine naturali.

T A B U L A XXIX.

- Fig. A. PSATTACUS guineensis. LIN. Syft. Nat. Classis II. Ordo II. Genus XLV. Spec. Habitat in Guinea.

T A B U L A XXX.



- Fig. A. TROCHILUS gularis. LIN. Syft. Nat. Classis II. Ordo II. Genus LXVI. Spec. Habitat in India orientali.
 B. FRINGILLA torquata. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXII. Spec. Ibid.
 C. MOTACILLA gularis. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXIV. Spec. Habitat in America meridionali.







Del. Sher. and. eding. L. h. 66.














Tubia serpentarius.





Psittacus guineensis





Trochilus, gularis,
Fringilla, torquator,
Molucella, gularis.



T A B. XXXI.

Fig. A. JERBOA capensis. LIN. Syft. Nat. Classis IV. Genus . Spec. Habitat ad C. B. Spec.
 B. Caput magnitudine naturali.

T A B. XXXII.

Fig. A. LEMUR bicolor. LIN. Syft. Nat. Classis I. Genus III. Spec. Habitat in America meridionali.

T A B. XXXIII.

Fig. A. OTIS indica. LIN. Syft. Nat. Classis IV. Genus XCV. Spec. Habitat in India orientali.
 B. Caput magnitudine naturali.

T A B. XXXIV.

Fig. A. APTENODYTES magellanica. LIN. Syft. Nat. Classis III. Genus . Spec. Habitat in terra magellanica.


T A B. XXXV.

Fig. A. ARDEA nœvia. LIN. Syft. Nat. Classis IV. Genus LXXXIV. Spec. Habitat in America meridionali.

T A B. XXXVI.

Fig. A. ARDEA torquata. LIN. Syft. Nat. Classis IV. Genus LXXXIV. Spec. Habitat in America meridionali.





Macropus capensis





Recherches sur les Mammifères de Madagascar.


Lemur bicolor.





Macropygia tenuirostris





Sphenodytes magellanicus.





Ardea naevia





Published by J. E. Miller

Ardea herodias



T A B U L A XXXVII.

Fig. 1. *CAROLINEA* princeps. LIN. Spec. Plant. Classis XVI. Ordo VII. Spec. Habitat in Mexico, Surinamo, Guineâ, St. Vincent.
 2. Calyx. 3 Stigma, 5 Stamina, 6 Stamen fingulum magnitudine auctum, 7 Idem auctus, 8 Folium magnitudine naturali.

T A B U L A XXXVIII.

Fig. A. *MOTACILLA* thoracica. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXIV. Spec. Habitat in India orientali.
 Fig. 1. *Heliconia*—marantifolia. LIN. Spec. Plant. Classis V. Ordo I. Spec. Habitat in St. Vincent.
 2. Flos, 3 Stigma, 4 Stamina, 5 Germen, 6 Nectarium.

T A B U L A XXXIX.

Fig. A. *FELIS* — capensis. LIN. Syft. Nat. Classis I. Ordo III. Genus . Spec. Habitat ad C. B. Spei.
 B. Caput magnitudine naturali.

T A B U L A XL.

Fig. A. *APTENODYTES* — antarctica. LIN. Syft. Nat. Classis II. Ordo III. Genus . Spec. Habitat in Antartico.

T A B U L A XLI.

Fig. A. *CORACIAS* — vericolor. LIN. Syft. Nat. Classis II. Ordo II. Genus . Spec. Habitat in Surinamo.

T A B U L A XLII.

Fig. A.B. *FRINGILLA* brevicola, mas & femina. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXII. Spec. Habitat in Zeylonâ.
 C. *Fringilla*—atrocephala. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXII. Spec. Habitat in Americâ meridionali.






Carolinea, princeps.










T. tigris






Spheniscus patagonicus.





Geothlypis trichas





h. Fringilla virens
h. Fringilla, trochiloides



T A B U L A XLIII.

Fig. 1. HIBISCUS <i>cannabina</i> .	LIN. Spec. Plant.	Classis XVI.	Ordo VII.	Spec. habitat in India orientali.
2. Calyx. 3 Stamina.	4 Stamina magnitudine aucta.		5 Stigma.	

T A B U L A XLIV.

Fig. 1. ANTIRRHINUM — <i>quadrifolium</i> .	LIN. Spec. Plant.	Classis XIV.	Ordo II.	Spec. habitat in India orientali.
2. 3 Flos, 4 Nectarium, 5 Stamina,	6 Stamen,	7 Stigma,	8 Folia radicalia.	

T A B U L A XLV.

Fig. 1. ARISTOLOCHIA — <i>hirsuta</i>	LIN. Spec. Plant.	Classis XX.	Ordo V.	Spec. XX. habitat in India orientali.
2. Flos. 3 Flos.				

T A B U L A XLVI.

Fig. A. SCIURUS — <i>fulvus</i> .	LIN. Syft. Nat.	Classis I.	Ordo V.	Genus XXVII. Spec. habitat in Americâ meridionali.
--	-----------------	------------	---------	--

T A B U L A XLVII.

Fig. A. TROCHILUS — <i>maculata</i> .	LIN. Syft. Nat.	Classis II.	Ordo II.	Genus Spec. habitat in Americâ meridionali.
Fig. B. RALLUS — <i>ecaudata</i> .	LIN. Syft. Nat.	Classis II.	Ordo IV.	Genus Spec. habitat in Otaheita.


T A B U L A XLVIII.

Fig. A. CUCULUS — <i>aurocephalus</i>	LIN. Syft. Nat.	Classis II.	Ordo II.	Genus Spec. habitat in America meridionali.
--	-----------------	-------------	----------	---









Antirrhinum quadrifidum




*Aristolochia hirsuta* L.





Sciurus fulvus.





Archibuteo *archibuteo*
gambelii *gambelii*





Cuculus. aurorophthalmus



T A B U L A XLIX.

Fig. A. APTENODYTES, creftata. LIN. Syft. Nat. Classis II. Ordo III. Genus Spec. habit. et Falkland Island.

T A B U L A L.

Fig. A. FRINGILLA, forficata. LIN. Syft. Nat. Classis II. Ordo VI. Genus CXII. Spec. habitat in Zeylonā.
Fig. B. RALLUS, nigra. LIN. Syft. Nat. Classis II. Ordo IV. Genus Spec. habitat in Otaherā.

T A B U L A LI.

Fig. A. CUCULUS, creftata. LIN. Syft. Nat. Classis II. Ordo II. Genus Spec. habitat in India orientali. 1766

T A B U L A LII.

Fig. A. PROMEROPS, purpureus. LIN. Syft. Nat. Classis II. Ordo II. Genus Spec. habitat in India orientali.

T A B U L A LIII.

Fig. A. ORIOLUS, gularis. LIN. Syft. Nat. Classis II. Ordo II. Genus Spec. habitat in America meridionali.

T A B U L A LIV.

Fig. A. PICUS, quadrimaculata. LIN. Syft. Nat. Classis II. Ordo II. Genus Spec. habitat in Zeylonā.


8 JAN. 1921





Apelonedytes - cristata.





Tringella p. picta
Rollus, novae.





Cuculus-crestata.






Curlew





Circus gularis.





Thryothorus quadrimaculatus

107
Robert



